

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently amended) A computer device having wireless communication capability, comprising:
 - a wireless communication portal for selectively sending and receiving data across a wireless network;
 - a computer platform including a resident application environment configured to selectively download applications to the computer platform through the portal, the resident application environment configured to selectively download applications that comply with a predefined security protocol;
 - a data store in communication with the computer platform and selectively sending data to and receiving data from the computer platform; and
 - a download manager resident on the computer platform that is configured to selectively download applications through the portal that do not comply with the predefined security protocol,

wherein the selectively downloaded applications that comply with the predefined security protocol are executed by the computer platform within the resident application environment, and

wherein the selectively downloaded applications that do not comply with the predefined security protocol are executed by the download manager outside of the resident application environment.
2. (Original) The device of claim 1, wherein the download manager exists within resident application environment and uses an existing application download interface.

3. (Currently amended) The device of claim 1, wherein the ~~downloaded application~~
a downloaded application that does not comply with the predefined security protocol is
immediately executed.

4. (Original) The device of claim 1, wherein a downloaded application that does not
comply with the predefined security protocol is stored, and the stored application is executed
through the download manager.

5. (Canceled)

6. (Currently amended) The device of claim [[4]] 1, wherein the download manager
further manages storage of the selectively downloaded applications that do[[es]] not comply with
the predefined security protocol in the data store.

7. (Currently amended) The device of claim 1, wherein the predefined security
protocol is verifying the origination of [[the]] a given application to be downloaded.

8. (Currently amended) The device of claim 1, wherein the predefined security
protocol is verifying the presence of a certificate within the ~~downloaded~~ a given application to be
downloaded.

9. (Canceled)

10. (Currently amended) A computer device having wireless communication capability, comprising:

a wireless communication means for selectively sending and receiving data across a wireless network;

a computer means selectively downloading applications through the wireless communication means, the computer means configured to selectively download applications that comply with a predefined security protocol; and

a means for selectively downloading applications through the wireless communication means that do not comply with the predefined security protocol,

wherein the selectively downloaded applications that comply with the predefined security protocol are executed by the computer means within the resident application environment, and

wherein the selectively downloaded applications that do not comply with the predefined security protocol are executed by the means for selectively downloading applications outside of the resident application environment.

11. (Currently amended) A method of selectively downloading through a wireless connection to a computer device ~~an application that does not comply with a predefined security protocol for use at that computer device~~, comprising the steps of:

downloading, from ~~[[a]] the wireless network connection to [[a]] the computer platform~~ of the computer device, an application that does not comply with a predefined security protocol for use at that computer device, the computer platform including a resident application environment for downloading ~~and executing~~ applications utilizing a predefined security protocol

and for executing applications downloaded in compliance with the predefined security protocol within the resident application environment ~~for at least downloading an application~~, the downloading of the non-complying application occurring through the use of a download manager resident on the computer platform; and

executing the non-complying application at the computer device with the download manager outside of the resident application environment.

12. (Original) The method of claim 11, wherein the download manager exists within resident application environment and the step of downloading uses an existing application download interface.

13. (Currently amended) The method of claim 11, further comprising the steps of: storing, with the download manager, the non-complying application ~~downloaded application that does not comply with the predefined security protocol~~; and executing the stored application through the download manager.

14. (Currently amended) The method of claim 11, further comprising the step of verifying whether the non-complying application complies with the nature of the downloaded application as the predefined security protocol ~~the nature of the downloaded application~~.

15. (Currently amended) The method of claim 14, wherein the step of verifying ~~the nature of the downloaded application is~~ includes verifying the presence or absence of a certificate within the ~~downloaded~~ non-complying application.

16. (Canceled)

17. (Currently amended) The method of claim 11, further comprising the step of downloading the download manager to the computer platform of the computer device after a request to download ~~[[an]] the non-complying application that does not comply with a predefined security protocol~~ has been made, and prior to the step of downloading the requested non-complying application.

18. (Currently amended) A method of selectively downloading through a wireless connection to a computer device ~~an application that does not comply with a predefined security protocol for use at that computer device~~, comprising the steps of:

a step for downloading, through the wireless connection to ~~[[a]] the~~ computer platform of the computer device, an application that does not comply with a predefined security protocol for use within a resident application environment at that computer device; and

a step for executing the downloaded application at the computer device outside of the resident application environment,

wherein applications that comply with the predefined security protocol are configured for execution within the resident application environment.

19. (Currently amended) A non-transitory computer-readable medium containing program code stored thereon, that when executed by a wireless computer device causes the device to perform the steps of:

downloading through a wireless connection to a computer platform of the computer device an application that does not comply with a predefined security protocol for use at that computer device, the computer platform including a resident application environment for downloading ~~and executing~~ applications utilizing a predefined security protocol and for executing applications downloaded in compliance with the predefined security protocol within the resident application environment ~~for at least downloading an application,~~ the downloading of the non-complying application occurring through the use of a download manager on the computer platform; and

executing the non-complying application at the computer device with the download manager.

20. (Previously presented) The non-transitory computer-readable medium of claim 19, wherein the download manager is resident on the computer platform.

21. (Currently amended) The non-transitory computer-readable medium of claim 19, wherein the download manager is loaded to the computer platform after a request to download of ~~[[an]] the non-complying application that does not comply with a predefined security protocol~~ and prior to download thereof.

22. (Currently amended) The computer device of claim 1,
wherein the download manager exists within resident application environment and uses an existing application download interface, ~~and~~

~~wherein the download manager further manages executing the downloaded application that does not comply with the predefined security protocol.~~

23. (Previously presented) The computer device of claim 1, wherein the predefined security protocol includes an application validation requirement of the resident application environment.

24. (Previously presented) The computer device of claim 1, wherein the applications being downloaded by the resident application environment in compliance with the predefined security protocol and the applications being downloaded by the download manager in non-compliance with the predefined security protocol are both stored in the data store.

25. (New) The computer device of claim 1, wherein the predefined security protocol is configured to protect the computer device.